



**City of Bellevue
Development Services Department
Land Use Staff Report**

Proposal Name: Virk Short Plat

Proposal Address: 3808 120th Avenue SE

Proposal Description: Application for Preliminary Short Plat approval to subdivide an existing 15,579 sq. ft. lot (approx. 0.35 acre) into two single-family lots, located in the R-5 land use district.

File Number: 18-131607-LN


Applicant: Dr. Sarbit Singh Virk

Decisions Included: Preliminary Short Plat (Process II)

Planner: Kimo Burden, Associate Planner

State Environmental Policy Act Threshold Determination: Exempt

Department Decision: Approval with Conditions

By: 
Kimo Burden, Associate Planner
Development Services Department

Application Date: December 4, 2018
Notice of Application: December 20, 2018
Minimum Comment Period: January 3, 2019
Decision Publication Date: February 27, 2020
Appeal Deadline: March 12, 2020

TABLE OF CONTENTS

I.	Description of Proposal	Pg 3
II.	Site Description and Context	Pg 3
III.	Consistency with Zoning and Land Use Code Requirements	Pg 4
IV.	State Environmental Policy Act (SEPA)	Pg 6
V.	Summary of Technical Reviews	Pg 6
VI.	Public Comment	Pg 9
VII.	Decision Criteria	Pg 9
VIII.	Conclusion and Decision	Pg 11
IX.	Conditions of Approval	Pg 11

Attachments:
Project Drawings

The subject site is within an existing single-family neighborhood and is bordered by 120th

Avenue SE to the west and single-family residences to the north, east and south. The subject property is zoned R-5 and has a Comprehensive Plan designation of Single-Family High.

The topography of the site slopes gradually upward from west to east with an elevation change of approximately 8 ft. The predominate vegetation on-site is grass lawn with trees and ornamental planting areas. Access to lots one and two will be via a new driveway fronting 120th Avenue SE.

Figure 2 – Aerial Photograph



III. CONSISTENCY WITH ZONING AND LAND USE CODE REQUIREMENTS

A. Zoning

The two lots proposed with this short plat application are permitted within the R-5 land use district. Refer to Table 1 of Section III.B below for discussion of dimensional requirements.

Figure 3 – Zoning Map



B. Consistency with Standard Land Use Code Requirements

Table 1 – Dimensional Requirements

<u>BASIC INFORMATION</u>		
Zoning District	R-5 Subarea - Factoria Comprehensive Plan Designation: Single-Family High	
Gross Site Area	15,579 sq. ft. (approx. 0.35 acre)	
ITEM	REQ'D/ALLOWED	PROPOSED
Minimum Lot Area	7,200 sq. ft.	Lot 1: 7,350 sq. ft. Lot 2: 8,229 sq. ft.
Minimum Lot Width	60 ft.	Lot 1: 63.77 ft. (approx.) Lot 2: 63.00 ft. (approx.)
Minimum Lot Depth	80 ft.	Lot 1: 130.63 ft. (approx.) Lot 2: 121.60 ft. (approx.)
Building Setbacks		
Front Yard	20 Feet	20 Feet
Rear Yard	20 Feet	20 Feet
Min. Side Yard	5 Feet	5 Feet
2 Side Yards	15 Feet	15 Feet (5 ft. + 10 ft.)
Tree Retention	24.6 inches, 30%	82.0 inches, 100%

IV. STATE ENVIRONMENTAL POLICY ACT (SEPA)

There are no critical areas within the proposal site. Short Plats which do not contain Critical Areas are exempt from SEPA review pursuant to WAC 197-11-800(6)(a), BCC 22.02.032. Thus, the project proposal is Exempt.

V. SUMMARY OF TECHNICAL REVIEWS

A. Utilities Review

The development proposed for this application has been reviewed on a conceptual basis and can be feasibly constructed under current Utility codes and standards without requesting modifications or deviations from them. Major changes to the design or information submitted under this permit may cause delay in approval of future construction permits. It is the applicant's responsibility to verify the accuracy all field information and data gathered for the utility design and feasibility of this project.

Surface Water

The proposed two-lot short plat triggers all nine minimum requirements. There is less than 5,000 square feet of proposed pollution generating hard surface. The project is not required to comply with MR #6. There is less than 10,000 square feet of new and/or replaced hard surface. The project is not required to comply with MR #7. Lot 1 will utilize a new storm connection, trench drain and pervious pavement to mitigate stormwater runoff. Lot 2 will utilize a storm connection and trench drain to mitigate stormwater runoff. A joint use line will be used for the storm connection. The joint use portion of the line must be 6". The stormwater runoff discharges to a roadside ditch on the east side of 120th Ave SE.

Water

The existing site is currently serviced by a ¾" water meter. The existing ¾" water meter will be reused for Lot 2. A new ¾" water meter and service will be installed for Lot 1. All water meters will be tapped off the existing 6" cast iron main in 120th Ave SE.

Sewer

The sewer service comes from an existing stub tapped off the existing 8" PVC sewer main in 120th Ave SE. A joint use line is proposed for the two-lot short plat. The joint use portion of the line is required to be 6".

B. Fire Department Review

The Fire Department has approved the preliminary short plat.

C. Clearing and Grading Review

The Clearing and Grading Division has approved the preliminary short plat. An application for a clearing and grading permit must be submitted and approved before construction can begin. Plans submitted as part of any permit application for this project shall be consistent with the activity permitted under this approval and must comply with the City of Bellevue

Clearing and Grading Code (BCC 23.76). **Refer to Conditions of Approval regarding Clear and Grade Permits in Section IX of this report.**

D. Transportation Review

The Transportation Department has reviewed the plans submitted for the preliminary short plat and recommends approval. The final engineering plans must show all transportation-related improvements and must be consistent with the Transportation Development Code (BCC 14.60) and the Transportation Department Design Manual prior to approval of the plat infrastructure permit.

Prior to final short plat approval, the developer must complete all transportation improvements at the developer's expense (BCC 14.60.110); or provided that all the requirements of BCC 14.60.260 are met, the director may accept an acceptable financial assurance device equivalent to 150% of the cost of the unfinished improvements. Installation of improvements that would negatively affect safety if left unfinished may not be delayed through use of a financial assurance device.

Under BCC 22.16, payment of the transportation impact fee for each new home prior to building permit issuance will adequately mitigate off-site transportation impacts. The fee amount is subject to periodic revision by the City Council. Builders will pay the fee in effect at the time of building permit issuance.

Refer to Condition of Approval regarding Engineering Plans in Section IX of this report.

Site Access

The proposed two lot short plat is comprised of an existing lot on the east side of 120th Avenue SE, which has one existing single-family home taking access from 120th Avenue SE via a single-family driveway on the north side of the parcel. 120th Avenue SE is a two-lane road classified as a local street. There is currently vegetation, a mailbox cluster, and a single-family driveway along the 120th Avenue SE frontage. Access for the short plat will be via a joint use driveway off of 120th Avenue SE, replacing the existing single-family driveway. No other access connection to city right-of-way is authorized. The joint-use driveway must be a minimum of 16 feet wide and contained within a minimum 20-foot-wide easement. The joint-use driveway must be built per the Transportation Design Manual Standard Drawings.

Street names and site addresses will be determined by the City's Parcel and Address Coordinator.

Street Frontage Improvements

The Virk short plat has street frontage on the east side of 120th Avenue SE. The lot is bordered by single family lots to the north, east, and south. There is currently a grass ditch and vegetation along the frontage of 120th Avenue SE within the right-of-way and a utility pole on the south side of the property. 120th Avenue SE is a two-lane local road with no curb, gutter, or sidewalks. For consistency with the existing character of the

neighborhood, curb, gutter and sidewalk are not required for this project.

The project frontage improvements and private road requirements include:

- Construct a new asphalt joint use driveway approach on 120th Avenue SE on the north side of the property.
- Construct a joint use driveway with a minimum width of 16 feet.
- The joint use driveway shall be located within a minimum 20-foot-wide easement.
- All overhead utilities into the plat must be undergrounded.
- Street lighting meeting City of Bellevue's standards per BCC 14.60.210 is required on 120th Avenue SE. An AGI analysis will be required to verify that minimum light levels are met.
- Vehicle and pedestrian sight distance must be provided per BCC 14.60.240.
- The joint-use driveway shall accommodate grading for future roadway widening, curb, planter and sidewalk. The driveway shall be limited to a maximum grade of 10% for 20 feet past the back of the future improvements and a maximum grade of 15% thereafter.

Refer to Condition of Approval regarding Infrastructure Improvements in Section IX of this report.

Use of the Right of Way

Applicants often request use of the right of way and of pedestrian easements for materials storage, construction trailers, hauling routes, fencing, barricades, loading and unloading, and other temporary uses as well as for construction of utilities and street improvements. A Right of Way Use Permit for such activities must be acquired prior to issuance of any construction permit including demolition permit.

Refer to Condition of Approval regarding Off-Street Parking and Right-of-Way Use Permits in Section IX of this report.

Pavement Restoration

The City of Bellevue has established the Trench Restoration Program to provide developers with guidance as to the extent of resurfacing required when a street has been damaged by trenching or other activities. Under the Trench Restoration Program, every public street in the City of Bellevue has been examined and placed in one of three categories based on the street's condition and the period of time since it was last resurfaced. These three categories are No Street Cuts Permitted, Overlay Required, and Standard Trench Restoration. Each category has different trench restoration requirements associated with it. Near the development site, 120th Avenue SE is classified as Standard Trench restoration per Standard Drawing RC-190-1.

Sight Distance

The access design shall meet the sight distance requirements of BCC 14.60.240. Vegetation shall be trimmed as needed within the sight triangle.

Refer to Condition of Approval regarding sight distance in Section IX of this report.

Transportation Impacts and Mitigation

City staff has analyzed the potential short-term operational impacts of this proposal in order to recommend mitigation if necessary. These impacts included traffic operations conditions during the a.m. and p.m. peak hours. Due to the minimal number of new p.m. peak hour trips to be generated by the Virk Short Plat, traffic impacts from this development will be minor in nature. Therefore, no additional mitigation is required other than payment of the transportation impact fee and the project site improvements.

VI. PUBLIC COMMENT

The City initially notified the public of this proposal on December 20, 2019, with mailed notice and publication in the Weekly Permit Bulletin. A public information sign was installed on the site the same day. City Staff received one party of record who provided written comments regarding storm water and an offsite vegetated area.

Question: The Commenter describes having problems with water run off due to previous development and would like storm water runoff to be addressed during the review of Permit No. 18-131607 LN.

Response: Per the review of the drainage mitigation plan, the applicant plans to grade the driveway west towards 120th Ave SE where the runoff will enter a trench drain at the end of the driveway which leads to a catch basin that discharges into a ditch on the east side of 120th Ave SE. The residences propose to connect to on-site catch basins that connect into the same system that discharges at the ditch. Per our standards this is sufficient for stormwater mitigation.

Question: To the south of the subject site there is a vegetated area that runs through multiple parcels. The commenter would like this area to be maintained to preserve wildlife that is periodically spotted in this area.

Response: Located approximately three parcels to the south (approximately 161 ft. away) there is a recorded Native Growth Protection Area (NGPA), established as part of Permit No. 07-119247 LF, the Hong Short Plat. The proposed scope of work is not proposed within the area the commenter describes and there will be no impact to this area as part of the proposed subdivision.

VII. DECISION CRITERIA:

Land Use Code 20.45B.130B Decision Criteria for a Preliminary Short Plat:

The Director may approve or approve with modifications an application for a Preliminary Short Plat if:

- 1. The Preliminary Short Plat makes appropriate provisions for, but not limited to, the public health, safety and general welfare, for open spaces, drainage ways, streets, sidewalks, alleys, other public ways, water supplies, sanitary waste.**

Finding: City codes ensure public health, safety and general welfare through development code requirements. Existing public water and sewer facilities have been deemed adequate to serve the proposed development. The applicant will be required to provide drainage improvements designed to service the drainage needs of the site. In addition, both proposed lots will gain access via a new shared driveway fronting 120th Avenue SE.

Construction noise is expected during the construction period, however, the Bellevue Noise Control Ordinance (BCC 9.18) regulates hours of construction-related noise emanating from project sites. **Refer to Condition of Approval regarding Noise/Construction Hours in Section IX of this report.**

2. The public interest is served by the short subdivision.

Finding: The public interest is served by providing additional housing opportunities in accordance with the Comprehensive Plan, while ensuring compliance with City codes and standards.

3. The preliminary short plat appropriately considers the physical characteristics of the proposed short subdivision site.

Finding: The preliminary short plat considers the physical characteristics of the site by establishing tree retention and protection requirements which will maintain some of the vegetated character of the surrounding neighborhood.

There are no critical areas on this site that require further protection. **Refer to Conditions of Approval regarding tree protection and tree retention in Section IX of this report.**

4. The proposal complies with all applicable provisions of the Land Use Code (BCC Title 20), the Utility Code (BCC Title 24), and the City of Bellevue Development Standards.

Finding: As conditioned, the proposal complies with the Land Use Code requirements for the R-5 land use district, the Utility Codes and the City of Bellevue Development Standards.

5. The proposal is in accord with the Comprehensive Plan (BCC Title 21).

Finding: The site is located within the Factoria subarea. The Comprehensive Plan specifies Single-Family High-Density development for this property, which is consistent with the R-5 land use designation. In addition, the proposal complies with applicable Comprehensive Plan policies City-wide and for this Subarea, including the following:

The single-family homes are, by use type, compatible with surrounding neighborhoods (LU-13). The proposed short plat provides housing for Bellevue's share of the regionally adopted demand forecasts for residential uses by 2035(LU-5).

The proposal meets the Neighborhood Quality goal (Housing Element) by providing compatible housing (single-family in single-family district) (HO-3).

Also, by providing the preservation of healthy significant existing trees on-site, the proposal will help maintain the vegetated character in the neighborhood.

6. **Each lot in the proposal can reasonably be developed in conformance with current Land Use Code requirements without requiring a variance.**

Finding: As conditioned, each lot (proposed Lots 1 and 2) can reasonably be developed to current R-5 dimensional standards without requiring a variance. There are no site constraints or critical areas which inhibit the development of this property that would warrant a variance. **Refer to Condition of Approval regarding the variance restriction in Section IX of this report.**

7. **All necessary utilities, streets or access, drainage and improvements are planned to accommodate the potential use of the entire property.**

Finding: The Utilities and Transportation Departments have reviewed the preliminary short plat and determined that all necessary utilities, drainage, driveway access locations, and other required improvements are either existing, planned or conditioned as part of this approval, to accommodate the use of these lots. **Refer to Conditions of Approval regarding infrastructure improvements and access design and maintenance in Section IX of this report.**

VIII. CONCLUSION AND DECISION:

After conducting the various administrative reviews associated with this proposal, including applicable Land Use consistency, City Code, and standard compliance reviews, the Director of the Development Services Department does hereby **APPROVE** the Virk Preliminary Short Plat **WITH CONDITIONS**.

This approval automatically expires and is void if the applicant fails to file for approval of the final short plat within one year of the effective date of approval unless the applicant files for an extension at least 30 days prior to the expiration and the extension is granted pursuant to LUC 20.45B.150 and 160.

IX. CONDITIONS OF APPROVAL:

The following conditions are imposed under authority referenced:

COMPLIANCE WITH BELLEVUE CITY CODES AND ORDINANCES

The applicant shall comply with all applicable Bellevue City Codes, Standards, and Ordinances including but not limited to:

Applicable Codes, Standards & Ordinances	Contact Person
---	-----------------------

Clearing & Grading Code – BCC 23.76	Janney Gwo,	(425) 452-6190
Construction Codes – BCC Title 23	Building Division,	(425) 452-6864
Fire Code – BCC 23.11	Derek Landis,	(425) 452-4112
Land Use Code – BCC Title 20	Kimo Burden,	(425) 452-5242
Noise Control – BCC 9.18	Kimo Burden,	(425) 452-5242
Transportation Develop. Code – BCC 14.60	Ian Nisbet,	(425) 452-4851
Transportation Develop. Code – BCC 14.60	Ian Nisbet,	(425) 452-4581
Right-of-Way Use Code 14.30	Ian Nisbet,	(425) 452-4851
Utility Code – BCC Title 24	Mohamed Sambou,	(425) 452-4853

A. GENERAL CONDITIONS:

1. VARIANCE RESTRICTION

Approval by the City of this short plat is a determination that each lot in the short plat can be reasonably developed in conformance with the Land Use Code requirements in effect at the time of preliminary short plat approval without requiring a variance.

AUTHORITY: Land Use Code 20.45B.130.A.6
REVIEWER: Kimo Burden, Development Services Department

2. NOISE – CONSTRUCTION HOURS

The proposal will be subject to normal construction hours of 7 a.m. to 6 p.m., Monday through Friday and 9:00 a.m. to 6:00 p.m. on Saturdays, except for Federal holidays and as further defined by the Bellevue City Code.

AUTHORITY: Bellevue City Code 9.18
REVIEWER: Kimo Burden, Development Services Department

B. CONDITIONS PRIOR TO ISSUANCE OF ANY PLAT ENGINEERING/CLEAR AND GRADE PERMIT:

1. CLEARING AND GRADING PERMIT REQUIRED

The clearing and grading reviewer has reviewed the plans and materials submitted for this project and has approved the clearing and grading portion of this land use application. This approval does not constitute an approval of any construction permit. An application for a clearing and grading permit must be submitted and approved before construction can begin. Plans submitted as part of any permit application for this project shall be consistent with the activity permitted under this approval and must comply with the City of Bellevue Clearing and Grading Code (BCC 23.76).

AUTHORITY: Clearing & Grading Code 23.76.035
REVIEWER: Janney Gwo, Development Services Department

2. SEASONAL CLEARING AND GRADING RESTRICTIONS

The clearing & grading code defines the rainy season as October 1st through April 30th. The Development Services Department may grant approval to initiate or continue clearing or grading activity during the rainy season. Any approval will be based on site and project conditions, extent and quality of the erosion and sedimentation control, and the project's track record at controlling erosion and

sedimentation.

AUTHORITY: Clearing & Grading Code 23.76.035
REVIEWER: Janney Gwo, Development Services Department

3. UTILITIES CONCEPTUAL APPROVAL

Utility Department approval of the design review application is based on the final conceptual design submitted with this application. Final utility design and construction approval is not given under this permit. Small changes to the site layout may be required to accommodate the utilities after utility engineering is approved. The water and sewer systems shall be designed per the current City of Bellevue Utility Codes and Utility Engineering Standards. The storm system shall be designed per the 2018 City of Bellevue Surface Water Engineering Standards and 2014 Stormwater Management Manual for Western Washington. Utilities Department design review, plan approval, and field inspection is performed under the Building Permits (BS) and Utilities Permit Processes. Private joint use sewer and storm easements will be required on the final short plat.

AUTHORITY: Bellevue City Code 24.02, 24.04, 24.06
REVIEWER: Mohamed Sambou, Utilities Department

4. RIGHT-OF-WAY USE PERMIT

The applicant is required to apply for a Right of Way Use Permit before the issuance of any clearing and grading, building, foundation, or demolition permit. In some cases, more than one Right of Way Use Permit may be required, such as one for hauling and one for construction work within the right of way. A Right of Way Use Permit regulates activity within the city right of way, including but not limited to the following:

- a) Designated truck hauling routes.
- b) Truck loading and unloading activities.
- c) Hours of construction and hauling.
- d) Continuity of pedestrian facilities.
- e) Temporary traffic control and pedestrian detour routing for construction activities.
- f) Street sweeping and maintenance during excavation and construction.
- g) Location of construction fences.
- h) Parking for construction workers.
- i) Construction vehicles, equipment, and materials in the right of way.
- j) All other construction activities as they affect the public street system.

In addition, the applicant shall submit for review and approval a plan for providing pedestrian access during construction of this project. Access shall be provided at all times during the construction process, except when specific construction activities such as shoring, foundation work, and construction of frontage improvements prevents access. General materials storage and contractor convenience are not reasons for preventing access.

AUTHORITY: Bellevue City Code 14.30
REVIEWER: Tim Stever, Transportation Department

5. OFF-STREET PARKING

The applicant must secure sufficient off-street parking for construction workers, equipment, and materials storage before the issuance of a clearing and grading, building, foundation, or demolition permit.

AUTHORITY: Bellevue City Code 14.30
REVIEWER: Tim Stever, Transportation Department

6. ENGINEERING PLANS

A street lighting plan, channelization plan, and site (civil engineering) plan produced by a qualified engineer must be approved by the City prior to clear and grading permit approval. The design of all street frontage improvements must be in conformance with the requirements of the Americans with Disabilities Act, the Transportation Development Code, and the provisions of the Transportation Department Design Manual. The engineering plans must correctly show all transportation-related engineering details, including but not limited to, the design of the private road or shared driveway, the connection to 120th Avenue SE, pavement restoration in 120th Avenue SE, mailbox location, and sight distance. Appropriate standard drawings from the Transportation Department Design Manual must be included in the engineering plans.

The following infrastructure improvements are required to be constructed and shown on the engineering plans:

- Construct a new asphalt joint use driveway approach on 120th Avenue SE on the north side of the property.
- Construct a joint use driveway with a minimum width of 16 feet.
- The joint use driveway shall be located within a minimum 20-foot-wide easement.
- All overhead utilities into the plat must be undergrounded.
- Street lighting meeting City of Bellevue's standards per BCC 14.60.210 is required on 120th Avenue SE. An AGI analysis will be required to verify that minimum light levels are met.
- Vehicle and pedestrian sight distance must be provided per BCC 14.60.240.
- The joint-use driveway shall accommodate grading for future roadway widening, curb, planter and sidewalk. The driveway shall be limited to a maximum grade of 10% for 20 feet past the back of the future improvements and a maximum grade of 15% thereafter.

Construction of all street and street frontage improvements must be completed prior to closing the clear and grade permit and right of way use permit for this project. A Design Justification Form must be provided to the Transportation Department for any aspect of any pedestrian route adjacent to or across any street that cannot feasibly be made to comply with ADA standards. Forms must be provided prior to approval of the clear and grade plans for any deviations from standards that are known in advance. Forms provided in advance may need to be updated prior to project completion. For any deviations from standards that are not known in advance, Forms must be provided

prior to project completion.

AUTHORITY: Bellevue City Code 14.60; Transportation Department Design Manual; and Transportation Department Design Manual Standard Drawings; Americans with Disabilities Act.

REVIEWER: Ian Nisbet, Transportation Department

7. SIGHT DISTANCE

The necessary to meet the sight distance requirements of BCC 14.60.240 and standard drawing RL-100-1, existing vegetation near the access point on 120th Avenue SE must be trimmed. Ground vegetation within the sight triangle must be trimmed to no more than 2.5 feet above a line drawn from pavement level to pavement level. Trees within the sight triangle must be limbed up to a height of 7.5 feet above a line drawn from pavement level to pavement level. A description of any required vegetation trimming must be shown on a sheet of the clearing and grading plan set.

AUTHORITY: Bellevue City Code 14.60.240

REVIEWER: Ian Nisbet, Transportation Department

8. PAVEMENT RESTORATION

The city's pavement manager has determined that this segment of 120th Avenue SE will require standard trench restoration for any utility connections or other digging in the street surface. Trench restoration must meet the requirements of Section 21 of the Design Manual and standard drawings RC-190-1 through RC-220-1. Exact copies of the appropriate trench restoration drawing(s) must be included in the final engineering plans.

AUTHORITY: Bellevue City Code 14.60.250 and Design Manual Design Standard # 23

REVIEWER: Tim Stever, Transportation Department

C. PRIOR TO FINAL SHORT PLAT APPROVAL:

1. INFRASTRUCTURE IMPROVEMENTS

All street frontage and infrastructure improvements shown in the final engineering plans or required by city codes and standards must be completed prior to approval of the final short plat. If all the requirements of BCC 14.60.260 are met, the director may accept an acceptable financial assurance device equivalent to 150% of the cost of the unfinished improvements. Installation of improvements that would negatively affect safety if left unfinished may not be delayed through use of a financial assurance device. Improvements must be approved by the Transportation Department inspector before they are deemed complete.

AUTHORITY: Bellevue City Code 14.60.100, 110, 130, 150, 170, 190, 210, 240, 241, 260
Transportation Department Design Manual Sections 3, 4, 5, 7, 11, 14, 19

REVIEWER: Ian Nisbet, Transportation Department

2. TREE RETENTION

The City of Bellevue urges the applicant to save as many trees as possible. The final short plat shall portray a minimum of 82 diameter inches of existing significant trees to remain, as proposed. A Tree Preservation Plan that portrays the drip-line, the diameter size, and common name of each significant tree to be retained must be recorded with the *final short plat mylar* (recorded with King County). This Tree Preservation Plan must also contain the following note:

“Designation of trees on the Tree Preservation Plan establishes a covenant by the owner to leave undisturbed all trees as shown on the Tree Preservation Plan. This covenant shall run with the land and shall be binding upon all future owners. No tree topping, tree cutting or tree removal shall occur unless required or approved by the City. Except for ordinary landscape maintenance, no construction, clearing or land alteration activities shall occur within the drip-line of trees shown on the Tree Preservation Plan, unless required or approved by the City. Activities in violation of this covenant are subject to penalty, including without limitation, fines, and mitigation requirements. The City of Bellevue shall have the right, but not the obligation, to enforce the requirements, terms and conditions of this covenant by any method available under law. It is the obligation of the owner to comply with the terms of the Tree Preservation Plan and this covenant.”

During construction, the dripline of the trees to be saved shall be fenced to prevent clearing and grading activities within the dripline area.

AUTHORITY: Land Use Code 20.20.900.D
REVIEWER: Kimo Burden, Development Services Department

ATTACHMENTS

Project Drawings